


PRECAST, PRESTRESSED SOLID WALL PANELS

Fig. 2.6.5 Partial interaction curve for prestressed solid wall panels



Curves based on minimum prestress of 250 psi
 $f'_c = 5000$ psi
 $f'_{pu} = 270$ ksi

t in.	Full interaction curve data			
	ϕP_o	ϕP_{nb}	ϕM_{nb}	ϕM_o
4	140	64	6.2	1.9
6	205	90	13.8	6.4
8	273	121	25.0	11.3
10	341	152	39.4	17.5

